

## Advanced Test Equipment Rentals www.atecorp.com 800-404-ATEC (2832)



Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

SAS-547 Biconical Antenna 1 GHz – 18 GHz

This broadband, high-frequency biconical antenna is designed specifically for broadband Field monitoring.





Frequency Range: 1 GHz - 18 GHz Maximum Continuous Power: 50 Watts

Pattern Type: omni-directional

Impedance: 50  $\boldsymbol{\Omega}$ 

VSWR: 2.0:1 (average) Connector: N-Type, female

Mounting: ABC-B (included) with 1/4-20 Thread, female

## **Features**

- 1 to 18 GHz omni directional antenna
- Receive and Transmit
- Individually Calibrated
- Rugged Construction
- Three Year Warranty

The A.H. Systems SAS-547 Biconical antenna operates efficiently over the frequency range of 1 GHz to 18 GHz. This antenna is ideal for receiving, monitoring, SIGINT, or any other application where a small, rugged, high performance passive antenna is required.

## **Recommended Accessories**

- PAM-0118 (Preamplifier, 20 MHz 18 GHz)
- SAC-18G-3 (3 Meter Low-Loss Cable)
- ATU-510 (Antenna Tripod, Wooden)
- AEH-510 (Azimuth and Elevation Head)




Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

A.H. Systems Inc.


9710 Cozycroft Ave. Chatsworth, CA 91311
Phone (818) 998-0223 Fax (818) 998-6892
E-mail: sales@A.H.Systems.com
Web site: http://www.AHSystems.com

Biconical Antenna Data Model: SAS-547




Frequency (MHz)





Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com



## **Physical Dimensions:**

Height:14.25 in. (36.2 cm)
Width:2.25 in. (5.7 cm)
Weight:1 lbs. (454 g)