

Provided by:

# CONQUEST™ 100

UNLOCK A WORLD OF SUBSURFACE  
INFORMATION WITH ONE QUICK SCAN



**C**onquest 100 is a light, portable device that provides a fast, non-invasive method to gain accurate insights of objects below the surface, even on a curved surface or column



Conquest 100 reduces risk by detecting rebar, post-tension cables, metallic and non-metallic conduits as well as current-carrying wires embedded in concrete. Once your scan is complete, Conquest 100 connects to your mobile device, allowing you to email information directly from the field. Back in the office view your data and make client-ready reports in minutes.



## Applications

Locate rebar, post-tension cables, metallic and non-metallic conduits embedded in concrete.

Create detailed scans of concrete floors, decks, columns, walls and ceilings to detect embedded objects before cutting or coring. Detect voids beneath slab-on-grade.

Locate and map current carrying wires using Power Cable Detector (PCD) technology.



## On-site Reports

Produce instant reports from your unit. Include screen captures and line/ grid/coring/depth information. Connect to your mobile and email detailed results directly from the field

# CONQUEST™ 100

Get rapid, reliable results and reduce the need for destructive testing

## High resolution touchscreen

Allows you to see targets clearly.  
Multi-language Menus

## Swappable Li-Ion battery

Minimize downtime with long lasting swappable batteries

## Power cable detector (PCD)

Ensures safety by locating current-carrying cables in the area

## Screen capture function

Transfer reports wirelessly via smart phone

## Lightweight sensor head

Enables easy scanning of walls and ceilings



# Accessories

Long reach resizable handle: increase comfort by allowing operator to stand upright

Carrying harness: comfortably support the Display Unit, while keeping hands free for other tasks

Extra battery pack: work long hours without interruption

Desktop charger: convenient option for charging batteries

Additional sensor head cable: various lengths available to suit your application



## Specifications



	Display Unit	Sensor Head	Transport case
Size	24 × 24 × 14 cm (6 × 9 × 9 in)	19 × 3 × 15 cm (7 × 5 × 6 in)	83 × 44 × 26 cm (33 × 17 × 10 in)
Weight	3.26 kg (7.2 lb) Battery = 0.48 kg (1 lb)	1.0 kg (2.2 lb)	21 kg (46 lb)
Power Cable Detector	Locates current at 50 Hz & 60 Hz		
Data Collection Modes	<b>LineScan:</b> max line length 50 m (150 ft) <b>GridScan:</b> 60 × 60 cm (2 × 2 ft), 60 × 120 cm (2 × 4 ft), 120 × 120 cm (4 × 4 ft) <b>Enhanced:</b> 240 × 240cm (8ft × 8ft), 240 × 60cm (2ft × 8ft)		
Data Export Format	PNG graphics image files, PDF mini reports via e-mail through Wi-Fi <b>Enhanced:</b> Project (gpz) digital data file		
Data Quality Enhancement	DynaQ – Dynamic Auto Stacking Spatial Filtering		
View Depth	User-defined: 30 cm – 91 cm (12 in – 36 in)		
GPR Trigger	2 Wheel Drive optical encoder, <0.5mm resolution		

Conquest 100 Enhanced provides access to digital data for advanced processing, analysis and reporting


Conquest 100 Enhanced option includes:

- Display Unit upgrade package
- EKKO\_Project software

**Line Scan:** Line Scan reconnaissance surveys provide a real-time assessment of targets embedded in concrete. Pinpoint targets with the backup arrow.





Classify targets in real time with color-coded field interpretations by simply touching the screen




Display position and depth of targets with the touch of a finger

**Grid Scan Mode:** Grid Scan detailed mapping generates on-site 3D images to better visualize embedded objects. Multiple grid sizes available.




Decide exactly where to drill in the grid with the drill locator with variable drill bit diameters



Classify targets with field interpretations

## Power Cable Detector (PCD)



Power cables embedded in concrete pose an immediate risk when construction work needs to be done.

PCD augments GPR imaging with the ability to detect current-carrying utility lines.

Locate and differentiate these hazardous utilities from other structural elements.

# EKKO\_Project


Use EKKO\_Project software to easily organize and display data exported from the Conquest 100 Enhanced system. Quickly visualize your data, extract valuable insights and produce superior deliverables for your clients.



**Locate**  
where to position  
cores

**Generate**  
impressive reports  
containing data images,  
photos, and text

**Display**  
GPR lines and grids and  
save them as graphic  
image files



**Attach**  
photos and other files  
directly to the data

**Slice**  
through multiple grids  
simultaneously to reveal  
targets

**Organize**  
and rename your lines  
and grids easily

**Connect**  
your grids together to  
see the big picture

**Subsurface  
imaging  
solutions**

**Sensors & Software Inc.**

+1 905 624 8909

+1 800 267 6013

1040 Stacey Court  
Mississauga, ON  
Canada L4W 2X8

sales@sensoft.ca  
[www.sensoft.ca](http://www.sensoft.ca)

Conquest is a trademark of Sensors & Software